



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3330002  
SITENAME Colle di Medea

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> IT3330002	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Colle di Medea
----------------

<b>1.4 First Compilation date</b> 1995-06	<b>1.5 Update date</b> 2019-12
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b> Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche - Servizio biodiversità
<b>Address:</b> Via Sabbadini, 31 – 33100 Udine
<b>Email:</b> biodiversita@regione.fvg.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	0000-00
<b>National legal reference of SPA designation</b>	No data
<b>Date site proposed as SCI:</b>	1995-09
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2013-10
<b>National legal reference of SAC designation:</b>	DM 21/10/2013 - G.U. 262 del 8-11-2013

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude** 13.4369      **Latitude** 45.9242

**2.2 Area [ha]:** 41.0      **2.3 Marine area [%]:** 0.0

### 2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

<b>NUTS level 2 code</b>	<b>Region Name</b>
--------------------------	--------------------

## 2.6 Biogeographical Region(s)

Continental (100.0  
%)

## 3. ECOLOGICAL INFORMATION

### 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6110F			0.39		G	C	C	C	C
62A0F			7.91		G	A	C	C	B
6510F			0.37		G	C	C	B	C
9260F			1.15		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A215	<a href="#">Bubo bubo</a>			p				P	DD	D			
B	A350	<a href="#">Corvus corax</a>			r	1	1	p		G	D			
B	A338	<a href="#">Lanius collurio</a>			r	3	3	p		G	D			
B	A072	<a href="#">Pernis apivorus</a>			c	10	10	i		G	D			
B	A072	<a href="#">Pernis apivorus</a>			r	1	1	p		G	D			
M	1303	<a href="#">Rhinolophus hipposideros</a>			p				P	DD	D			
B	A305	<a href="#">Sylvia melanocephala</a>			r	3	3	p		G	D			
A	1167	<a href="#">Triturus carnifex</a>			p				R	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site					Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			C R V P	IV	V	A	B	C	D
P		<a href="#">Anacamptis pyramidalis</a>						R						X	X
R	1281	<a href="#">Elaphe longissima</a>						C	X					X	X
M	1363	<a href="#">Felis silvestris</a>						P	X		X			X	X
P	1866	<a href="#">Galanthus nivalis</a>						C		X				X	
I	1026	<a href="#">Helix pomatia</a>						P		X				X	X
R	5670	<a href="#">Hierophis viridiflavus</a>						C	X					X	X
R	1263	<a href="#">Lacerta viridis</a>						C	X					X	X
P		<a href="#">Limodorum abortivum</a>						V						X	X
P		<a href="#">Orchis morio</a>						C						X	X

P		<a href="#">Orchis ustulata</a>						R					X	X
R	1256	<a href="#">Podarcis muralis</a>						C	X				X	X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N17	5.0
N09	50.0
N08	45.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Il sito include il versante meridionale di un rilievo calcareo, circondato da una piana alluvionale. Esso rappresenta l'ultimo lembo isolato del Carso Isontino e presenta notevoli esempi di vegetazione termofila mediterraneo-illirica sia pascoliva (landa carsica) sia cespugliosa. Nel sito si trova il limite settentrionale di distribuzione di numerose specie termofile.

### 4.2 Quality and importance

Ultimo esempio di landa carsica termofila verso occidente, è circondato da coltivazioni e da boschetti di robinia e oggi è in significativa dinamica verso un cespuglieto a scotano. L'interesse ornitologico è legato alla presenza di specie proprie di ambienti collinari e rocciosi (es. *Corvus corax*) o di ambienti mediterranei (es. *Sylvia melanocephala*) in stazione isolata nella pianura alluvionale. Pur sporadico, è presente *Felis s. silvestris*. La presenza nel sito di *Helix pomatia* è confermata.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	G05.11		b
M	E01.04		o
M	K05.01		i
M	C01.01.01		o
M	E01		o
M	F03.01		b
H	K02.01		i
H	D01.02		o
M	D01.01		i
M	G01.02		i
H	A01		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	E01.04		o

### 4.4 Ownership (optional)

### 4.5 Documentation

BANK R., 1985. Verslag van een Verzamelreis in Nordoost-Italië. De Kreukel, 7: 57-78. BOATO A., BODON M., GIOVANNELLI M.M. & MILDNER P., 1987. Molluschi terrestri delle Alpi sud-orientali. In: Biogeografia delle Alpi Sud-orientali Biogeographia, 13: 429-528. BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210. GERDOL R. & PERCO F., 1977. Osservazioni ecologiche sul Gufo comune (*Asio otus*) nell'Italia nord-orientale, Boll. Soc. Adr. Di Scienze, 61:37-59. LAPINI L., 1986. Il gatto selvatico (*Felis silvestris silvestris* Schreber, 1777) nella provincia di Gorizia. Rapporto inedito all'Osservatorio Faunistico, sezione di Gorizia. LAPINI L., 2006. Attuale distribuzione del gatto selvatico *Felis silvestris silvestris* SCHREBER, 1775 nell'Italia nord-orientale (Mammalia: Felidae). Boll. Mus. civ. St. nat. Venezia, 57: 221-234. PARODI R., 1999 - Gli Uccelli della provincia di Gorizia. Pubbl. Museo Friul. Storia Nat., 42. POLDINI L., 1975. Un esempio di vegetazione parasteppica (*Lactuco-Ischaemetum ass nova*) del Carso nordadriatico. Not. Fitosociol. 10: 87-110. POLDINI L., 1989. La vegetazione del Carso Isontino e Triestino. Ediz. Lint, Trieste. POLDINI L., VIDALI M. & ZANATTA K., 2002. La classe Rhamno-Prunetea in Friuli Venezia Giulia e territori limitrofi. Fitosociologia 39(1)/2: 29-63. RAGNI B., LAPINI L. & PERCO F., 1989. Situazione attuale del gatto selvatico *Felis silvestris silvestris* e della lince *Lynx lynx* nell'area delle Alpi sud-orientali. Biogeographia, 13: 867-901. RUFFO S. & STOCH F. (cur.), 2006. Checklist and distribution of the Italian fauna. Memorie del Museo Civico di Storia Naturale di Verona, 2. Serie, Sezione Scienze della Vita 17, with CD-ROM.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT99	37.0	IT00	63.0		

**5.2 Relation of the described site with other sites:**

**5.3 Site designation (optional)**

**6. SITE MANAGEMENT**

[Back to top](#)

**6.1 Body(ies) responsible for the site management:**

Organisation:	Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche – Servizio biodiversità
Address:	Via Sabbadini, 31 – 33100 Udine
Email:	biodiversita@regione.fvg.it

**6.2 Management Plan(s):**

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

**6.3 Conservation measures (optional)**

DGR 546 del 28.03.2013 "Misure di conservazione di 28 SIC della regione biogeografica continentale del Friuli Venezia Giulia" pubblicata sul I SUPPLEMENTO ORDINARIO N. 15 DEL 10 APRILE 2013 AL BUR N. 15 DEL 10 APRILE 2013 [http://bur.regione.fvg.it/newbur/visionaBUR?bnum=2013/04/10/15\\_1](http://bur.regione.fvg.it/newbur/visionaBUR?bnum=2013/04/10/15_1)

**7. MAP OF THE SITES**

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--------------